
Kentucky Board of Emergency Medical Services

2017 EMS Stroke Incidents




Patient Demographics



Patient Age Range				
Age	Count	%		
Birth - 9	23	.11%		
10 - 19	62	.29%		
20 - 29	243	1.13%		
30 - 39	660	3.07%		
40 - 49	1,527	7.09%		
50 - 59	3,250	15.1%		
60 - 69	4,800	22.3%		
70 - 79	5,324	24.74%		
80 - 89	4,247	19.73%		
90 +	1,387	6.44%		


Patient Gender		
Female	11,696	
Male	9,842	



Patients with incident complaint reported by dispatch of "Stroke/CVA", chief complaint of "stroke", or provider primary impression of "stroke" account for 22,049 incidents.

Incident Complaint Reported by Dispatch			
Stroke/CVA	15,096		
Chief Complaint			
Stroke/CVA	1,979		
Provider Primary Impression			
Stroke/CVA	7,603		

Incident Peak Times



Incident Hour Range		
12 am - 3:59 am	1,305	
4 am - 7:59 am	1,496	
8 am - 11:59 am	5,075	
12 pm - 3:59 pm	5,939	
4 pm - 7:59 pm	5,040	
8 pm - 11:59 pm	3,194	

Kentucky Board of Emergency Medical Services

2017 EMS Stroke Incidents



Glasgow Coma Score

Eye Score		
1 - No eye movement when assessed	3,215	
2 - Opens eyes to verbal stimulation	1,096	
3 - Opens eyes to verbal stimulation	3,633	
4 - Opens eyes spontaneously	42,125	

Eye Score			
1 - No eye movement when assessed	3,215		
2 - Opens eyes to verbal stimulation	1,096		
3 - Opens eyes to verbal stimulation	3,633		
4 - Opens eyes spontaneously	42,125		
Motor Score		ŀ	
MIOIOI SCOIC			


Motor Score		
1 - No Motor Response	2,913	
2 - Extension to pain	200	
3 - Flexion to pain	431	
4 - Withdrawal from pain	2,504	
5 - Localizing pain	3,123	
6 - Obeys command; appropriate response to stimulation	41,086	

Verbal Score			
1 - No verbal/vocal response	5,660		
2 - Incomprehensible sounds; inconsolable, agitated	2,302		
3 - Inappropriate words; inconsistently consolable, moading	1,813		
4 - Confused; cries but is consolable, inappropriate interactions	8,335		
5 - Oriented; smiles, oriented to sounds, follows objects, interacts	32,141		

Interpreting Total Glasgow Coma Score		
GCS 8 or Less		
GCS 9 - 12		
GCS 13 - 15		

The Glasgow Coma Score (GCS) is a reliable and objective way of recording the initial and subsequent level of consciousness in a person after a brain injury. The GCS measures the following functions: eye, motor, and verbal skills.

Total Glasgow Coma Score Count



GCS	Count				
3	2,406	8	643	13	2,330
4	222	9	916	14	6,535
5	268	10	1,187	15	31,147
6	471	11	1,797		
7	479	12	1,804		

Kentucky Board of Emergency Medical Services

2017 EMS Stroke Incidents



Top 12 Facility Destinations

University of Louisville Hospital	943	Baptist Health Louisville	413
Owensboro Health Regional Hospital ER	797	Med Center Emergency Department	379
University of Kentucky Medical Center	629	Baptist Health Lexington	373
Norton Brownsboro Hospital	563	Floyd Memorial Hospital	332
Lake Cumberland Regional Hospital	509	Hardin Memorial Hospital	322
Central Baptist Hospital	423	St. Elizabeth Edgewood	309

Medications Administered & Procedures Performed 6,000 8,000 4,000 4,000 2,000 **Top 5 Medications Top 5 Procedures** Extremity Vein Catheterization Oxygen 5,909 11,183 12 Lead ECG Obtained Ondansetron 697 5,266 3 Lead ECG Sodium Chloride 969 4,302 Obtained Fentanyl 605 **Evaluation Procedure** 2,256 Moving a Patient to a Stretcher Midazolam 1,848 377

3,786
Positive Vitals Stroke Scale
Score Incidents

338
Blunt Mechanism of Injury
Incidents

52 Minutes
Average Unit Notified by
Dispatch to Patient Arrived at
Destination

Patient Acuity		
Critical	292	
Emergent	1,607	
Improved	3,131	
Lower Acuity	1,136	